

**Italkero**

Stratos

# Stratos



## features

- Elegant and functional design.
- **Customized style**, paint the front panel to match the walls.
- **Uniform warmth**, the warm air exits from the bottom side of heater and prevents the heat stratification.
- **Warms straightaway** after switch-on.
- **Real comfort**: temperature adjustment with Wireless digital chronothermostat.
- Inbuilt humidifier for increased comfort.
- **Ecological**, triple-torch burner with low nox emissions.



heating flow on the bottom



# Stratos

FORCED DRAFT

Thanks to the **heating flow on the bottom** we avoid any stratification issues.


**Design made in Italy** to suit any decor.

## installation



- Quick and easy installation thanks to the **floor standing** option.
- Swinging **easy panel**.
- Optional **wireless** chronothermostat.
- Selection of natural and valuable material.

## features



- Forced convection double-speed, **double power, the most quietness**.
- Intake and exhaust pipes independent and separable.
- Flue line up to 15 mts. flue diam. 32 mm. or 54mm.
- Aluminium heat exchanger.
- Automatic ignition control and control flame ionization.

Model	STRATOS 3.0	STRATOS 5.0	STRATOS 7.0	STRATOS 9.0	Wireless control
Code	SR30M0 M0000	SR50M0 M0000	SR70M0 M0000	SR90M0 M0000	70000990 00
Dimension W x H x D (mm)	535x585x200	685x585x200	865x585x200	985x585x200	
Heat input max/min (kW)	2,50 / 1,70	4,70 / 3,30	6,80 / 4,80	8,60 / 5,70	
Power max/min (kW)	2,30 / 1,53	4,30 / 2,98	6,28 / 4,37	7,87 / 5,22	
Standard pipe L 50cm	Ø 32	Ø 32	Ø 54	Ø 54	

**NOTE:** THE PRICE INCLUDES THE LPG TRANSFORMATION AND THE STANDARD PIPES KIT.

# Stratos



A larger selection of accessories to suite all different requirements are available.



## accessories

Model		Code	Description
	Ø32	70000700 00	90° ELBOW, aluminum made. To link pipes together and to link pipes to the output bridge.
	Ø54	70000370 00	90° ELBOW, aluminum made. To link pipes together.
	Ø32	70000720 00	50 cm PIPE, aluminum made. To link pipes together.
	Ø54	70000390 00	
	Ø32	70000710 00	100 cm PIPE, aluminum made. To link pipes together.
	Ø54	70000380 00	
	Ø32	70000705 00	135° ELBOW, aluminum made. To link pipes together out of 90° standard.
	Ø54	70000375 00	
	Ø54	70000755 00	90° ELBOW, diecast aluminum, (for air intake and for exhaust) to link the pipes to the output bridge, do not use this advice as tubes connections.
	Ø32	70000466	OUTLET for air intake and for exhaust (Length 5 cm).
	Ø54	70000465 00	OUTLET for air intake and for exhaust (Length 6 cm).

**NOTE:** THE PRICE INCLUDES THE LPG TRANSFORMATION AND THE STANDARD PIPES KIT.

Model		Code	Description
	Ø32	70000465 00	<b>SDP</b> Grille for pipe with sunk outlet. Single term.
	Ø54		
	Ø32	70000350 00	<b>GP</b> Grille for single term.
	Ø54		
	Ø32	70000600 00	<b>GPU</b> Grille for one term.
	Ø54	70000610 00	
	Ø32	70000730 00	Chimney.
	Ø54	70000740 00	
	Ø32	TP3206A5 00	Special outlets kit. Can be used to mount the pipes from inside the room.
	Ø54	TP5410A5 00	
	Ø32	70000840	Insulating for air casting on exhaust pipes. 5 p. set. 100 cm L
	Ø54	70000850 00	4 p. set. 100 cm L
	Ø54	70000725	Chimney Weathering, soft rubber made. Inclined roof.
	Ø90	70000726 00	Flat roof.
	Ø90	70000445 00	Ø54 - Coaxial end section kit for roof installation.
	3.0	70001435 00	Floor standing, support structure.
	5.0	70001440 00	
	7.0	70001445 00	
	9.0	70001450 00	
	3.0	TP32SP 00000	Ø 32 - Kit Special pipes, 2 single terminals.
	5.0	TP32SP 00000	
	3.0	TP54SP 00000	Ø54 - Kit Special pipes, 2 single terminals.
	5.0	TP54SP 00000	
	7.0	TP54SP 00000	
	9.0	TP54SP 00000	

**NOTE:** THE PRICE INCLUDES THE LPG TRANSFORMATION AND THE STANDARD PIPES KIT.

# Stratos

**Great comfort** level thanks to wireless chrono-thermostat option.

**Ecological**, triple-torch burner with low nox emissions.





### customized style

Large selection of natural and valuable material: aluminum, natural stone, crystal.

	<b>Stratos 3.0</b>	<b>Stratos 5.0</b>	<b>Stratos 7.0</b>	<b>Stratos 9.0</b>
<b>Aluminum</b>	SR30M0 M0000	SR50M0 M0000	SR70M0 M0000	SR90M0 M0000
<b>White RAL 9002</b>	SR30M0 M0300	SR50M0 M0300	SR70M0 M0300	SR90M0 M0300
<b>RAL color option</b>	000011	000012	000013	000014
<b>Natural stone</b>	SR30M0 M0800	SR50M0 M0800	SR70M0 M0800	SR90M0 M0800
<b>Crystal</b>	SR30M0 M0700	SR50M0 M0700	SR70M0 M0700	SR90M0 M0700



ITALKERO S.r.l. . via Lumumba 2 . Zona Ind. Torrazzi . 41122 Modena . Italy . Tel +39 59 2550711 . FAX +39 059 4900500 . [www.italkero.it](http://www.italkero.it)

NOTE: Due to ongoing product upgrading, aesthetic and dimensional features, technical details, fittings and accessories could undergo changes and are not binding.